Brain Research, 488 (1989) 408–410
Elsevier

Author Index

Akaike, N., see Yakushiji, T., 357
Akeson, R.A. and Haines, S.L., Rat olfactory cells and a central nervous system neuronal subpopulation share a cell surface antigen, 202
Allesøe, K., see Treiman, M., 260
Amoroso, S., see Taglialatela, M., 114
Annunziato, L., see Taglialatela, M., 114
Asato, F. and Yokota, T., Responses of neurons in nucleus ventralis posterolateralis of the cat thalamus to hypogastric inputs, 135

Baldwin, B.A., see Thornton, S.N., 297
Beck, T., see Zilles, K., 14
Bennett, M.V.L. and Sandri, C., The electromotor system of the electric eel investigated with horseradish peroxidase as a retrograde tracer, 22
Bernocchi, G., see Giacometti, S., 365
Bernstein, J.J. and Goldberg, W.J., Maintenance of host medullary nucleus gracilis neurons after C3 homografting of fetal spinal cord into host fasciculus gracilis, 180
Boelen, M.K., Dowton, M. and Chubb, I.W., The release of Leu^5-enkephalin-like immunoreactivity from chicken retina is reduced by light in vitro, 43
Brand, J.G., see Kalinoski, D.L., 163
Brodie, C., Brody, M. and Sampson, S.R., Characterization of the relation between sodium channels and electrical activity in cultured rat skeletal myotubes: regulatory aspects, 186
Brody, M., see Brodie, C., 186
Bryant, B.P., see Kalinoski, D.L., 163

Canzoniero, L.M.T., see Taglialatela, M., 114
Carino, M.A., see Lai, H., 361
Cervo, L., see Giraud, O., 174
Chagneux, H., Ducreux, C. and Gola, M., Voltage-dependent opening of single calcium-activated potassium channels in *Helix* neurons, 336
Chagoya, G., see Hernández, J., 1
Chub, I.W., see Boelen, M.K., 43
Ciriello, J., see Gutman, M.B., 49
Cockram, C.S., see Lee, C.-M., 328
Connor, D.J. and Harrell, L.E., Chronic septal lesions cause upregulation of cholinergic but not noradrenergic hippocampal phosphoinositide hydrolysis, 387
Cooper, H.M., see Magnin, M., 390
Cordonnier, V., see Thomson, M.A., 241

Dávila, J.C., see Guirado, S., 213
De la Calle, A., see Guirado, S., 213
Delfs, J., Friend, J., Ishimoto, S. and Saroff, D., Ventral and dorsal horn acetylcholinesterase neurons are maintained in organotypic cultures of postnatal rat spinal cord explants, 31
Delhaye-Bouchaud, N., see Thomson, M.A., 241
Depoortere, H., see De Saint Hilaire-Kafi, Z., 304
De Saint Hilaire-Kafi, Z., Depoortere, H. and Nicolaïdis, S., Does cholecystokinin induce physiological satiety and sleep?, 304
Dilts, R.P. and Kalivas, P.W., Autoradiographic localization of μ-opioid and neurotensin receptors within the mesolimbic dopamine system, 311
Di Renzo, G.F., see Taglialatela, M., 114
Donevan, S.D., Van Vugt, D.A. and Ferguson, A.V., Subfornical organ activation stimulates luteinizing hormone secretion in the rat, 398
Dowton, M., see Boelen, M.K., 43
Dragunow, M., see Faull, R.L.M., 381
Dray, F., see Saadi, M., 97
Ducreux, C., see Chagneux, H., 336
Duggan, A.W., see Morton, C.R., 89

Ellouze-Kallel, L., see Thomson, M.A., 241

Fatatis, A., see Taglialatela, M., 114
Faull, R.L.M., Dragunow, M. and Villiger, J.W., The distribution of neurotensin receptors and acetylcholinesterase in the human caudate nucleus: evidence for the existence of a third neurochemical compartment, 381
Ferguson, A.V., see Donevan, S.D., 398
Fisher, L.A., see Overton, J.M., 233
Forsling, M.L., see Thornton, S.N., 297
Freed, W.J., see Poltorak, M., 265
Friend, J., see Delfs, J., 31

Gerozissis, K., see Saadi, M., 97
Giacometti, S., Scherini, E. and Bernocchi, G., Seasonal changes in the nucleoli of Purkinje cells of the hedgehog cerebellum, 365
Giraud, O., Cervo, L., Grignaschi, G. and Samanin, R., Activation of μ-opioid receptors in the nucleus raphe dorsalis blocks apomorphine-induced aggression in rats: serotonin appears not to be involved, 174
Godwin, D.W., see Holdefer, R.N., 341
Godwin, D.W., see Norton, T.T., 348
Gola, M., see Chagneux, H., 336
Goldberg, W.J., see Bernstein, J.J., 180
Granata, A.R. and Kitai, S.T., Intracellular analysis of excitatory subthalamic inputs to the pedunculopontine neurons, 57
Grignaschi, G., see Giraud, O., 174
Guirado, S., De la Calle, A., Gutiérrez, A. and Dávila, J.C., Serotonin innervation of the cerebral cortex in lizards, 213
Gutiérrez, A., see Guirado, S., 213
Gutman, M.B., Jones, D.L. and Ciriello, J., Contribution of nucleus medianus to the drinking and pressor responses to angiotensin II acting at subfornical organ, 49

Haines, S.L., see Akeson, R.A., 202
Hamaji, M., Kawai, Y., Kawashima, Y. and Tohyama, M., An electron microscopic study on VIP-, BOM- and CCK-like immunoreactive terminals in the celiac-superior mesenteric ganglion complex of the guinea pig, 283
Harpaz, S., see Kalinoski, D.L., 163
Harrell, L.E., see Connor, D.J., 387
Hassessian, H., see Padjen, A.L., 288
Hellgren, J. and Kellerth, J.-O., A physiological study of the monosynaptic reflex responses of cat spinal α-motoneurons

Brain Research, 488 (1989) 408–410
Elsevier

Author Index

Akaike, N., see Yakushiji, T., 357
Akeson, R.A. and Haines, S.L., Rat olfactory cells and a central nervous system neuronal subpopulation share a cell surface antigen, 202
Allesøe, K., see Treiman, M., 260
Amoroso, S., see Taglialatela, M., 114
Annunziato, L., see Taglialatela, M., 114
Asato, F. and Yokota, T., Responses of neurons in nucleus ventralis posterolateralis of the cat thalamus to hypogastric inputs, 135

Baldwin, B.A., see Thornton, S.N., 297
Beck, T., see Zilles, K., 14
Bennett, M.V.L. and Sandri, C., The electromotor system of the electric eel investigated with horseradish peroxidase as a retrograde tracer, 22
Bernocchi, G., see Giacometti, S., 365
Bernstein, J.J. and Goldberg, W.J., Maintenance of host medullary nucleus gracilis neurons after C3 homografting of fetal spinal cord into host fasciculus gracilis, 180
Boelen, M.K., Dowton, M. and Chubb, I.W., The release of Leu^5-enkephalin-like immunoreactivity from chicken retina is reduced by light in vitro, 43
Brand, J.G., see Kalinoski, D.L., 163
Brodie, C., Brody, M. and Sampson, S.R., Characterization of the relation between sodium channels and electrical activity in cultured rat skeletal myotubes: regulatory aspects, 186
Brody, M., see Brodie, C., 186
Bryant, B.P., see Kalinoski, D.L., 163

Canzoniero, L.M.T., see Taglialatela, M., 114
Carino, M.A., see Lai, H., 361
Cervo, L., see Giraud, O., 174
Chagneux, H., Ducreux, C. and Gola, M., Voltage-dependent opening of single calcium-activated potassium channels in *Helix* neurons, 336
Chagoya, G., see Hernández, J., 1
Chub, I.W., see Boelen, M.K., 43
Ciriello, J., see Gutman, M.B., 49
Cockram, C.S., see Lee, C.-M., 328
Connor, D.J. and Harrell, L.E., Chronic septal lesions cause upregulation of cholinergic but not noradrenergic hippocampal phosphoinositide hydrolysis, 387
Cooper, H.M., see Magnin, M., 390
Cordonnier, V., see Thomson, M.A., 241

Dávila, J.C., see Guirado, S., 213
De la Calle, A., see Guirado, S., 213
Delfs, J., Friend, J., Ishimoto, S. and Saroff, D., Ventral and dorsal horn acetylcholinesterase neurons are maintained in organotypic cultures of postnatal rat spinal cord explants, 31
Delhaye-Bouchaud, N., see Thomson, M.A., 241
Depoortere, H., see De Saint Hilaire-Kafi, Z., 304
De Saint Hilaire-Kafi, Z., Depoortere, H. and Nicolaïdis, S., Does cholecystokinin induce physiological satiety and sleep?, 304
Dilts, R.P. and Kalivas, P.W., Autoradiographic localization of μ-opioid and neurotensin receptors within the mesolimbic dopamine system, 311
Di Renzo, G.F., see Taglialatela, M., 114
Donevan, S.D., Van Vugt, D.A. and Ferguson, A.V., Subfornical organ activation stimulates luteinizing hormone secretion in the rat, 398
Dowton, M., see Boelen, M.K., 43
Dragunow, M., see Faull, R.L.M., 381
Dray, F., see Saadi, M., 97
Ducreux, C., see Chagneux, H., 336
Duggan, A.W., see Morton, C.R., 89

Ellouze-Kallel, L., see Thomson, M.A., 241

Fatatis, A., see Taglialatela, M., 114
Faull, R.L.M., Dragunow, M. and Villiger, J.W., The distribution of neurotensin receptors and acetylcholinesterase in the human caudate nucleus: evidence for the existence of a third neurochemical compartment, 381
Ferguson, A.V., see Donevan, S.D., 398
Fisher, L.A., see Overton, J.M., 233
Forsling, M.L., see Thornton, S.N., 297
Freed, W.J., see Poltorak, M., 265
Friend, J., see Delfs, J., 31

Gerozissis, K., see Saadi, M., 97
Giacometti, S., Scherini, E. and Bernocchi, G., Seasonal changes in the nucleoli of Purkinje cells of the hedgehog cerebellum, 365
Giraud, O., Cervo, L., Grignaschi, G. and Samanin, R., Activation of μ-opioid receptors in the nucleus raphe dorsalis blocks apomorphine-induced aggression in rats: serotonin appears not to be involved, 174
Godwin, D.W., see Holdefer, R.N., 341
Godwin, D.W., see Norton, T.T., 348
Gola, M., see Chagneux, H., 336
Goldberg, W.J., see Bernstein, J.J., 180
Granata, A.R. and Kitai, S.T., Intracellular analysis of excitatory subthalamic inputs to the pedunculopontine neurons, 57
Grignaschi, G., see Giraud, O., 174
Guirado, S., De la Calle, A., Gutiérrez, A. and Dávila, J.C., Serotonin innervation of the cerebral cortex in lizards, 213
Gutiérrez, A., see Guirado, S., 213
Gutman, M.B., Jones, D.L. and Ciriello, J., Contribution of nucleus medianus to the drinking and pressor responses to angiotensin II acting at subfornical organ, 49

Haines, S.L., see Akeson, R.A., 202
Hamaji, M., Kawai, Y., Kawashima, Y. and Tohyama, M., An electron microscopic study on VIP-, BOM- and CCK-like immunoreactive terminals in the celiac-superior mesenteric ganglion complex of the guinea pig, 283
Harpaz, S., see Kalinoski, D.L., 163
Harrell, L.E., see Connor, D.J., 387
Hassessian, H., see Padjen, A.L., 288
Hellgren, J. and Kellerth, J.-O., A physiological study of the monosynaptic reflex responses of cat spinal α-motoneurons

after partial lumbosacral deafferentation, 149
Helms, C., see Landis, C.A., 195
Hendry, I.A., see Morton, C.R., 89
Hernández R., J., Manjarréz, G.G. and Chagoya, G., Newborn humans and rats malnourished in utero: free plasma L-tryptophan, neutral amino acids and brain serotonin synthesis, 1
Holdefer, R.N., Norton, T.T. and Godwin, D.W., Effects of bicuculline on signal detectability in lateral geniculate nucleus relay cells, 341
Holdefer, R.N., see Norton, T.T., 348
Hughes, J.M., see Rasenick, M.M., 105
Hutchison, W.D., see Morton, C.R., 89

Isaacson, L.G. and Taylor, D.H., Maternal exposure to 1,1,2-trichloroethylene affects myelin in the hippocampal formation of the developing rat, 403
Ishimoto, S., see Delfs, J., 31

Jones, D.L., see Gutman, M.B., 49

Kalinoski, D.L., Bryant, B.P., Shaulsky, G., Brand, J.G. and Harpaz, S., Specific L-arginine taste receptor sites in the catfish, *Ictalurus punctatus*: biochemical and neurophysiological characterization, 163
Kalivas, P.W., see Dilts, R.P., 311
Kawai, Y., see Hamaji, M., 283
Kawashima, Y., see Hamaji, M., 283
Kellerth, J.-O., see Hellgren, J., 149
Kitai, S.T., see Granata, A.R., 57
Kleven, M.S., Woolverton, W.L. and Seiden, L.S., Evidence that both intragastric and subcutaneous administration of methylenedioxymethylamphetamine (MDMA) produce serotonin neurotoxicity in rhesus monkeys, 121
Kum, W., see Lee, C.-M., 328

Lacey, G., Nistri, A. and Rhys-Maitland, E.R., Large enhancement of excitatory postsynaptic potentials and currents by thyrotropin-releasing hormone (TRH) in frog spinal motoneurones, 80
Lai, H., Carino, M.A. and Wen, Y.-F., Repeated noise exposure affects muscarinic cholinergic receptors in the rat brain, 361
Landis, C.A., Robinson, C.R., Helms, C. and Levine, J.D., Differential effects of acetylsalicylic acid and acetaminophen on sleep abnormalities in a rat chronic pain model, 195
Lee, C.-M., Kum, W., Cockram, C.S., Teoh, R. and Young, J.D., Functional substance P receptors on a human astrocytoma cell line (U-373 MG), 328
Levin, B.E. and Sullivan, A.C., Differences in saccharin-induced cerebral glucose utilization between obesity-prone and -resistant rats, 221
Levine, J.D., see Landis, C.A., 195
Lund, R.D., see Rao, K., 332

Magnin, M., Cooper, H.M. and Mick, G., Retinohypothalamic pathway: a breach in the law of Newton-Müller-Gudden?, 390
Manjarréz, G.G., see Hernández, J., 1
Mariani, J., see Thomson, M.A., 241
Mengod, G., see Palacios, J.M., 369
Mick, G., see Magnin, M., 390
Mitsoglou, G.M., see Padjen, A.L., 288
Morton, C.R, Hutchison, W.D., Hendry, I.A. and Duggan, A.W., Somatostatin: evidence for a role in thermal nociception, 89

Nakamura, T., see Yamadori, T., 143
Nicolaïdis, S., see De Saint Hilaire-Kafi, Z., 304
Nistri, A., see Lacey, G., 80
Nordeen, E.J., see Sohrabji, F., 253
Nordeen, K.W., see Sohrabji, F., 253
Norton, T.T., Holdefer, R.N. and Godwin, D.W., Effects of bicuculline on receptive-field center sensitivity of relay cells in the lateral geniculate nucleus, 348
Norton, T.T., see Holdefer, R.N., 341

Overton, J.M. and Fisher, L.A., Modulation of central nervous system actions of corticotropin-releasing factor by dynorphin-related peptides, 233
Oyama, Y., see Yakushiji, T., 357

Padjen, A.L., Mitsoglou, G.M. and Hassessian, H., Further evidence in support of taurine as a mediator of synaptic transmission in the frog spinal cord, 288
Palacios, J.M., Savasta, M. and Mengod, G., Does cholecystokinin colocalize with dopamine in the human substantia nigra?, 369
Pang, K.C.H., see Rose, G.M., 353
Petrovic-Minic, B., see Zilles, K., 14
Piat, G., see Thomson, M.A., 241
Poltorak, M., Freed, W.J. and Schachner, M., Expression of cell adhesion molecules from the L2/HNK-1 family in cerebellar isografts in mice, 265

Rao, K. and Lund, R.D., Degeneration of optic axons induces the expression of major histocompatability antigens, 332
Rasenick, M.M., Hughes, J.M. and Wang, N., Guanosine-5'-*O*-thiodiphosphate functions as a partial agonist for the receptor-independent stimulation of neural adenylate cyclase, 105
Reuss, S., see Stehle, J., 275
Rhys-Maitland, E.R., see Lacey, G., 80
Robinson, C.R., see Landis, C.A., 195
Rose, G.M. and Pang, K.C.H., Differential effect of norepinephrine upon granule cells and interneurons in the dentate gyrus, 353
Rosenberg, H.C., see Zhang, H., 73

Saadi, M., Gerozissis, K. and Dray, F., Release of luteinizing hormone-releasing hormone: interrelations between eicosanoids and catecholamines, 97
Samanin, R., see Giraud, O., 174
Sampson, S.R., see Brodie, C., 186
Sandri, C., see Bennett, M.V.L., 22
Saroff, D., see Delfs, J., 31
Savasta, M., see Palacios, J.M., 369
Schachner, M., see Poltorak, M., 265
Scherini, E., see Giacometti, S., 365
Schleicher, A., see Zilles, K., 14
Seiden, L.S., see Kleven, M.S., 121
Shaulsky, G., see Kalinoski, D.L., 163
Sohrabji, F., Nordeen, K.W. and Nordeen, E.J., Projections of androgen-accumulating neurons in a nucleus controlling avian song, 253
Spatz, W.B., Loss of ocular dominance columns with maturity in the monkey, *Callithrix jacchus*, 376
Stehle, J., Reuss, S. and Vollrath, L., Day–night differences in

the sensitivity of adrenoceptors in the Syrian hamster pineal gland: an in vivo iontophoretic study, 275
Sullivan, A.C., see Levin, B.E., 221

Taglialatela, M., Canzoniero, L.M.T., Amoroso, S., Fatatis, A., Di Renzo, G.F. and Annunziato, L., Cobalt-sensitive and dihydropyridine-insensitive stimulation of dopamine release from tuberoinfundibular neurons by high extracellular concentrations of barium ions, 114
Takami, K., see Yamadori, T., 143
Taylor, D.H., see Isaacson, L.G., 403
Teoh, R., see Lee, C.-M., 328
Thomson, M.A., Piat, G., Cordonnier, V., Ellouze-Kallel, L., Delhaye-Bouchaud, N. and Mariani, J., Representation of vibrissae inputs through the climbing fiber pathway in lobule VII of the adult rat cerebellar vermis, 241
Thornton, S.N., Baldwin, B.A. and Forsling, M.L., The influence of central hyperosmotic solutions on drinking and vasopressin release following peripheral hyperosmotic NaCl in the minipig, 297
Tietz, E.I., see Zhang, H., 73
Tohyama, M., see Hamaji, M., 283
Treiman, M., Allesøe, K. and Von Spreckelsen, S., Facilitation by forskolin of electrically evoked vasopressin release in vitro requires bursting pattern of stimulation, 260

Valentino, R.J. and Wehby, R.G., Locus ceruleus discharge characteristics of morphine-dependent rats: effects of naltrexone, 126
Van Vugt, D.A., see Donevan, S.D., 398
Villiger, J.W., see Faull, R.L.M., 381
Vollrath, L., see Stehle, J., 275
Von Spreckelsen, S., see Treiman, M., 260

Wang, N., see Rasenick, M.M., 105
Wehby, R.G., see Valentino, R.J., 126
Wen, Y.-F., see Lai, H., 361
Woolverton, W.L., see Kleven, M.S., 121
Wree, A., see Zilles, K., 14

Yakushiji, T., Oyama, Y. and Akaike, N., Comparative study on barbiturates using isolated single neurons: GABA-mimetic action and augmentatory action on GABA response, 357
Yamadori, T., Nakamura, T. and Takami, K., A study on the retinal ganglion cell which has an uncrossed bifurcating axon in the albino rat, 143
Yokota, T., see Asato, F., 135
Young, J.D., see Lee, C.-M., 328

Zhang, H., Rosenberg, H.C. and Tietz, E.I., Injection of benzodiazepines but not GABA or muscimol into pars reticulata of substantia nigra suppresses pentylenetetrazol seizures, 73
Zilles, K., Wree, A., Petrovic-Minic, B., Schleicher, A. and Beck, T., Different metabolic changes in the lateral geniculate nucleus and the superior colliculus of adult rats after simultaneous or delayed double enucleation, 14